Made in Holland

PITT COOKING

Gas

Altar

Front Side

Exploded view

1. **Medium burner**
ENAMELED CAST IRON

2. **Flange**
STEEL

3. **Heat conductor**
ALUMINIUM

4. **Control knob**
ANODISED ALUMINIUM

5. **Cassette unit**
GALVANIZED STEEL

Burners

Medium burner





MEDIUM BURNER

MIN. POWER
0,3 kW

MAX. POWER
3 kW

DIAM. BURNER
Ø 230 mm



1. **Pan support**
ENAMELED CAST IRON

2. **Burner caps**
ENAMELED CAST IRON

3. **Flame spreader**
(COATED BRASS)

4. **Heat shield**
ENAMELED STEEL

5. **Silicone ring**
SILICONE

Burners

Black edition

HEAVY BRASS BURNERS.
BLACK BURNERS WITH A BLACK SURFACE.
STYLISH AND REFINED.

MEDIUM BURNER

Professional edition

HEAVY BRASS BURNERS.
FOR THOSE WHO WANT TO COOK IN STYLE

MEDIUM BURNER

Control knob Front Side

3D-image Front Side knob

Front view Front Side knob



Top view Front Side knob











Warning! *C-Size is a fixed size

Important

- Minimal countertop depth: 650 mm
- Total height PITT unit
  incl. support bar set: 164mm
- Countertop thickness: 4-25 mm
- *C-size is a ***fixed*** size

Template dimensions -
Front Side control knob gas

Template dimensions

1. Determine the height of the countertop's front edge.
   (Minimum height: 100 mm)
   1. mm
2. Determine the distance between the center of control knob and the top of the countertop.
   (Minimum height: 50 mm / Maximum height: 100 mm)
   2. mm
3. Determine the thickness of the countertop
   (Minimum thickness: 4 mm / Maximum thickness: 25 mm)
   3. mm

***WARNING: C-size (75 mm) is a fixed size.**

*C-Size: 75 mm





This file must be completed and included with the purchase order. Scan the QR code for the file or visit the download page on our website.

Technical drawing









Hole pattern



Technical specifications

Model	**Altar Front Side**
Type of burners	1x burner medium (0,3 - 3 kW)
Editions	Professional (brass) Black (full black)
The controls	Front Side
Module dimensions (LxWxH)	213 x 503 x 134 mm
Automatic spark ignition	✓
Flame protection	✓
Weight	5,5 kg
Wok ring	-

Gas & Electricity

Type of gas suitable	Natural gas, LPG (Bottled gas)
Type of gas connection	½" external threads
Position gas connection	Top corner, right
Voltage	220V-110V (default) / 1,5V (battery)
Cord length	1500 mm / 591/16 "

Technical downloads

Installation and handling instructions gas

Installation manual Front Side gas

User manual gas